p.n. E1 OUTDOOR

Smart 5MP PTZ WiFi Camera with Motion Spotlights

Waterproof Design

E1 Outdoor is designed for harsh environments. Its robust housing can withstand intense heat, humidity, and cold.

*For optimum waterproof protection, follow the instructions to install the camera.

Person/Vehicle Detection
Discerns people and vehicles from other objects.

Auto Tracking
Automatically follows the moving person/car.

Dual-Band WiFi
2.4/5 GHz WiFi for simple and flexible wireless setup.

Color Night Vision
See full-color images at night with spotlights on.

5M SHD & 3X Optical Zoom
Offers crystal-clear images and videos. Zoom in to find more details.

355° Pan & 50° Tilt
Rotates to overview the whole.

Built-In Siren
Powerfully loud to deter the intruder.

Up to 256GB Micro SD Card
Larger storage capacity means longer or more recordings.

Two-Way Audio
Built-In mic & speaker to listen in and talk back in real time.

Motion Zone
Define specific areas where you don't want alerts to be triggered.

Remote Access Anytime
Live view, video playback, instant siren & more via mobile devices.

Time Lapse
See the day in a minute and share the fun with friends.

Certified Weatherproof
Works perfectly in both indoor and outdoor environments.

Specifications

Video & Audio
Image Sensor: 1/2.7" CMOS Sensor
Video Resolution: Default: 2560 x 1920 (5.0 megapixels) at 20 frames/sec
Lens: f=2.8 - 8mm F=1.6, with IR cut
Zoom: 3X optical zoom
Video Format: H.264
Field of View
• Horizontal: 90°- 48°
• Vertical: 68°- 37°
Pan/Tilt Angle
• Horizontal: 355°
• Vertical: 50°
Day & Night: IR-cut filter with auto-switching
Infrared Night Vision: Up to 12 meters (40ft)
    (LED: 12pcs/14mil/850nm)
Color Night Vision: Up to 12 meters (40ft)
    (LED: 4pcs/2.7W/6500K)
Audio: Two-Way Audio
DC Power: DC 12.0V⎓1A, <12W

Interface
Power: DC power port
System: Reset button
Ethernet: One 10M/100Mbps RJ45
Storage: Micro SD card slot (Max. 256GB)
Audio: Built-in microphone and speaker

Power

Speaker

Daylight Sensor

4 Spotlights

Lens

12 IR LEDs

Status LED

Software Features
Frame Rate
• Mainstream: 2fps - 25fps (default: 20fps)
• Substream: 4fps - 15fps (default: 10fps)
Code Rate
• Mainstream: 1024Kbps - 8192Kbps (default: 4096Kbps)
• Substream: 64Kbps - 512Kbps (default: 256Kbps)
Browsers Supported: IE, Edge, Chrome, Firefox, Safari
OS Supported: PC: Windows, Mac OS; Smartphone: iOS, Android
Smart Alarm: Motion detection/person detection/vehicle detection
Record Mode: Motion recording (default)/scheduled recording
Protocols & Standards: HTTP, HTTPS, SSL, TCP/IP, UDP, UPNP, RTSP,RTMP, SMTP, NTP, DHCP, DNS, DDNS, P2P
Maximal User Access: 20 users (1 admin account & 19 user accounts); supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
Work with: Google Assistant/Reolink Cloud

Wi-Fi
Wireless Standard: IEEE 802.11a/b/g/n
Operating Frequency: 2.4GHz/5GHz
Wireless Security: WPA-PSK/WPA2-PSK

Working Environment
Operating temperature: -10°C~+55°C
Operating humidity: 20% ~ 85%
Waterproof: Waterproof

Size & Weight
Dimension: Ø84.7×117.8mm
Weight: 380g

111mm · 73mm · 79mm

E1 Outdoor

Smart 5MP PTZ WiFi Camera with Motion Spotlights
- Person/Vehicle Detection
- Pan & Tilt with 3X Zoom
- Color Night Vision
- Auto Tracking

works with Google Assistant

Fax: 03-5214524
office@telran.co.il
Phone: 03-5575110
www.telran.co.il

TELRAN COMMUNICATIONS (1986) LTD
טלראן תקשורת (1986) בע"מ